Springer Link Search Log in

Applied Electrochemistry and Corrosion Protection of Metals
Published: October 2006

Effect of the dispersity of components of a cathode mixture on discharge characteristics of a Leclanché cell

Zh. M. Kebadze, L. Sh. Kakuriya & G. P. Gobechiya

Russian Journal of Applied Chemistry **79**, 1609–1611 (2006)

33 Accesses | Metrics

Abstract

The effect of dispersity of electrolytic manganese dioxide and of an electrically conducting additive to the cathode mixture on the discharge capacity of chemical power cells of the manganese-zinc system with a salt electrolyte was studied.

This is a preview of subscription content, access via your institution.

Access options

Buy article PDF

39,95 €

Price includes VAT (Georgia)

Instant access to the full article PDF.

Rent this article via DeepDyve.

Learn more about Institutional subscriptions

References

1. Varypaev, V.N., Dasoyan, M.A., and Nikol'skii, V.A., *Khimicheskie istochniki toka* (Chemical Power Cells), Moscow: Vysshaya Shkola, 1990.

2. *Khimicheskie istochniki toka: Spravochnik* (Chemical Power Cells: Reference Book), Korovin, N.V. and Skundin, A.M., Eds., Moscow: Mosk. Energet. Inst., 2003.

3. Takei, T., Tanaka, H., Miyazawa, T., et al., *Progr, Batteries Battery Mater.*, 1998, vol. 17, pp. 303–313.

4. Korovin, N.V., *Elektrokhim. Energet.*, 2003, vol. 3, no. 4, pp. 163–168.

5. Kebadze, Zh.M., Kakuriya, L.Sh., and Pruidze, V.P., *Elektrokhim. Energet.*, 2005, vol. 5, no. 4, pp. 242–245.

6. Dam'e, V.N. and Rysukhin, N.F., *Proizvodstvo pervichnykh khimicheskikh istochnikov toka* (Manufacture of Primary Chemical Power Cells), Moscow: Energoizdat, 1981.

7. *GOST* (State Standard) *25823-83: Manganese Dioxide for Chemical Power Cells*, 1983.

8. Nalesnik, O.I., *Obshchaya teoriya khimicheskikh istochnikov toka* (General Theory of Chemical Power Cells), Tomsk: Tomsk. Politekhn. Inst., 1985.

9. Urfer, A., Lawrance, G.A., and Swinkels, D.A.J., *J. Appl. Electrochem.*, 2001, vol. 31, pp. 341–347.

10. Kononov, Yu.S., Zhizhaev, A.M., and Patrushev, V.V., *Zh. Prikl. Khim.*, 2003, vol. 76, no. 6, pp. 1039–1041.

11. Andersen, T.N., Mischler, G.A., and Howard, W.F., *J. Appl. Electrochem.*, 2003, vol. 33, pp. 717–723.

12. Fialkov, A.S., *Elektrokhimiya*, 2000, vol. 36, no. 4, pp. 389–413.

13. Varentsov, V.K., *Intensifikatsiya elektro-khimicheskikh protsessov: Sbornik nauchnykh*

trudov (Intensification of Electrochemical Processes: Coll. of Sci. Works), Moscow: Nauka, 1988, pp. 94–118.

14. Danilov, M.O. and V'yunova, N.V., *Zh. Prikl. Khim.*, 2000, vol. 74, no. 11, pp. 1897–1898.

15. Takei, T., Yamamoto, Y., Akinori, I., et al., *Progr. Batteries Battery Mater.*, 1998, vol. 17, pp. 319–325.

16. Finaenov, A.I., Krasnov, V.V., Trifonov, A.I., et al., *Elektrokhim. Energet.*, 2003, vol. 3, no. 3, pp. 107–118.

17. Fioshin, M.Ya. and Smirnova, M.G., *Elektrokhimicheskie sistemy v sinteze khimicheskikh produktov* (Electrochemical Systems in Synthesis of Chemical Products), Moscow: Khimiya, 1985.

Author information

Authors and Affiliations

Agladze Institute of Inorganic Chemistry and Electrochemistry, Tbilisi, Georgia

Zh. M. Kebadze, L. Sh. Kakuriya & G. P. Gobechiya

Additional information

Original Russian Text © Zh.M. Kebadze, L.Sh. Kakuriya, G.P. Gobechiya, 2006, published in Zhurnal Prikladnoi Khimii, 2006, Vol. 79, No. 10, pp. 1630–1632.

Rights and permissions

Reprints and Permissions

About this article

Cite this article

Kebadze, Z.M., Kakuriya, L.S. & Gobechiya, G.P. Effect of the dispersity of components of a cathode mixture on discharge characteristics of a Leclanché cell. *Russ J Appl Chem* **79**, 1609–1611 (2006). https://doi.org/10.1134/S1070427206100090

Received	Accepted	Issue Date
11 January 2006	13 July 2006	October 2006

DOI
https://doi.org/10.1134/S1070427206100090

Keywords

Discharge Capacity **Salt Electrolyte** **Saline Cell** **Flaky Graphite** **Elemental Graphite**

Not logged in - 5.178.173.177
Not affiliated

SPRINGER NATURE

© 2023 Springer Nature Switzerland AG. Part of Springer Nature.